



PTO/SB/08a/b (07-05)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|----|---|--------------------------|-----------------------|
| Substitute for form 1449A/B/PTO | | | | Complete If Known | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Application Number | 10/728019-Conf. #8027 |
| | | | | Filing Date | December 3, 2003 |
| | | | | First Named Inventor | Gary L. JOHNSON |
| | | | | Art Unit | 1646 |
| | | | | Examiner Name | Not Yet Assigned |
| Sheet | 1 | of | 4 | Attorney Docket Number | CPI-042CN2 |

| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|-----------------------|---|--------------------------------|--|---|
| Examiner Initials* | Cite No. ¹ | Document Number Number-Kind Code ² (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| /MD/ | A1* | US-5,405,941 | 04-11-1995 | Johnson | |
| | A2* | US-5,753,446 | 05-19-1998 | Johnson | |
| | A3* | US-5,854,043 | 12-29-1998 | Johnson | |
| | A4* | US-5,968,781 | 10-19-1999 | Yoon et al. | |
| | A5* | US-5,981,265 | 11-09-1999 | Johnson | |

| FOREIGN PATENT DOCUMENTS | | | | | | |
|--------------------------|-----------------------|--|--------------------------------|--|---|----------------|
| Examiner Initials* | Cite No. ¹ | Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T ⁶ |
| /MD/ | B1* | WO-94/24159-A1 | 10-27-1994 | National Jewish Center for Immunology | | |
| /MD/ | B2* | WO-95/28421-A1 | 10-26-1995 | National Jewish Center for Immunology and Respiratory Medicine | | |
| /MD/ | B3* | WO-97/35014-A1 | 09-25-1997 | Postscript, Inc. | | |
| /MD/ | B4* | WO-97/40145-A1 | 10-30-1997 | The Regents of the University of Michigan | | |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. * CITE NO.: Those application(s) which are marked with an asterisk (*) next to the Cite No. are not supplied (under 37 CFR 1.98(a)(2)(iii)) because that application was filed after June 30, 2003 or is available in the IFW. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

| NON PATENT LITERATURE DOCUMENTS | | | | | |
|---------------------------------|-----------------------|---|--|--|----------------|
| Examiner Initials | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | | | T ² |
| /MD/ | C1* | Avdi, N.J., et al., "Activation of MEKK by Formyl-methionyl-leucyl-phenylalanine in Human Neutrophils. Mapping pathways for mitogen-activated protein kinase activation," <i>J. Biol. Chem.</i> , Vol. 271:33598-33606 (1996) | | | |
| | C2* | Baeuerle, P.A., et al., "NF-(kappa)B: ten years after," <i>Cell</i> , Vol. 87:13-20 (1996) | | | |
| | C3* | Beidler, D.R., et al., "The baculovirus p 35 protein inhibits Fas- and tumor necrosis factor-induced apoptosis," <i>J. Biol. Chem.</i> , Vol. 270:16526-16528 (1996) | | | |
| | C4* | Blank, J.L., et al., "Molecular cloning of mitogen-activated protein/ERK kinase kinases (MEKK) 2 and 3. Regulation of sequential phosphorylation pathways involving mitogen-activated protein kinase and c-Jun kinase," <i>J. Biol. Chem.</i> , Vol. 271:5361-5368 (1996) | | | |
| | C5* | Blumer, K.J., et al., "Mammalian mitogen-activated protein kinase kinase kinase (MEKK) can function in a yeast mitogen-activated protein kinase pathway downstream of protein kinase C," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 91(11):4925-4929 (1994) | | | |
| | C6* | Boehringer Mannheim Biochemicals, 1994, Catalog, p. 93 | | | |
| | C7* | Bork, Genome Research, 2000, 10:398-400 | | | |
| | C8* | Bowie, et al., Science, 1990, 247:1306-1310 | | | |
| | C9* | Burgess et al., J of Cell Bio. 111:2129-2138, 1990 | | | |

| | | | |
|--------------------|-------------------------------|-----------------|--|
| Examiner Signature | /Minh Tam Davis/ (05/14/2007) | Date Considered | |
|--------------------|-------------------------------|-----------------|--|

| | | | | | |
|---|---|----|---|--------------------------|-----------------------|
| Substitute for form 1449A/B/PTO | | | | Complete if Known | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Application Number | 10/728019-Conf. #8027 |
| | | | | Filing Date | December 3, 2003 |
| | | | | First Named Inventor | Gary L. JOHNSON |
| | | | | Art Unit | 1646 |
| | | | | Examiner Name | Not Yet Assigned |
| Sheet | 2 | of | 4 | Attorney Docket Number | CPI-042CN2 |

| | | | |
|------|------|--|--|
| /MD/ | C10* | Cardone, M.H., et al., "The regulation of anoikis: MEKK-1 activation requires cleavage by caspases," <i>Cell</i> , Vol. 90:315-323 (1997) | |
| | C11* | Chateff, D.T., et al., "Molecular cloning and characterization of the STE7 and STE11 genes of <i>Saccharomyces cerevisiae</i> ," <i>Mol. Cell. Biol.</i> , Vol. 5(8):1878-1886 (1985) | |
| | C12* | Darmon, A.J., et al., "An Interleukin-1 Converting Enzyme-like Protease is a Key Component of Fas-mediated Apoptosis," <i>J. Biol. Chem.</i> , Vol. 271:21699-21702 (1996) | |
| | C13* | Ellinger-Ziegelbauer, H., et al., "Direct activation of the stress-activated protein kinase (SAPK) and extracellular signal-regulated protein kinase (ERK) pathways by an inducible mitogen-activated protein Kinase/ERK kinase kinase 3 (MEKK) derivative," <i>Journal of Biological Chemistry</i> , Vol. 272(5):2668-2674 (1997) | |
| | C14* | Fanger, G.R., et al., "MEK kinases are regulated by EGF and selectively interact with Rac/Cdc42," <i>The EMBO Journal</i> , Vol. 16:4961-4972 (1997) | |
| | C15* | Fanger, Gary R., et al., "MEKKs, GCKs, MLKs, PAKs, TAKs, and Tpls: upstream regulators of the c-Jun amino-terminal kinases?" <i>Current Opinion in Genetics & Development</i> , Vol. 7:67-74 (1997) | |
| | C16* | Fernandes-Alnemri, 1996, <i>Proc Natl. Acad Sci USA</i> , 93:7464-7469 | |
| | C17* | Fraser, A., et al., "A license to kill," <i>Cell</i> , Vol. 85:781-784 (1996) | |
| | C18* | Gajewski, T.F., et al., "Apoptosis meets signal transduction: elimination of a BAD influence," <i>Cell</i> , Vol. 87:589-592 (1996) | |
| | C19* | Gardner, A.M., et al., "Fibroblast growth factor-2 suppression of tumor necrosis factor α -mediated apoptosis requires ras and the activation of mitogen-activated protein kinase," <i>J. Biol. Chem.</i> , Vol. 271:14560-14566 (1996) | |
| | C20* | GenBank Accession Number AAA85038: "MEKK1. (Mus musculus)" (Jan. 1, 1996) | |
| | C21* | GenBank Accession Number AAA97500: "MEK Kinase (Mus Musculus)," (April 18, 1996) | |
| | C22* | GenBank Accession Number AAC52596: "MAP kinase kinase kinase 1. (Rattus norvegicus)," (June 5, 1996) | |
| | C23* | GenBank Accession Number AAC97073: "MEK kinase 1. (Homo sapiens)," (Dec. 17, 1998) | |
| | C24* | GenBank Accession Number AAD25049: "Map kinase kinase kinase 1 (Mus musculus)," (April 14, 1999) | |
| | C25* | GenBank Accession Number AB014614, "Mus musculus mRNA for MEKK1 N-terminal," (Oct. 29, 1999) | |
| | C26* | GenBank Accession Number AF042838: "Homo sapiens MEK kinase 1 (MEKK1) mRNA," (Dec. 18, 1998) | |
| | C27* | GenBank Accession Number AF117340: "Mus musculus MAP kinase kinase kinase 1 (MEKK1) mRNA," (April 14, 1999) | |
| | C28* | GenBank Accession Number BAA85878: "MEKK1 N-terminal (Mus musculus)," (Oct. 29, 1999) | |
| | C29* | GenBank Accession Number L13103: "Mus musculus MEK kinase mRNA," (April 18, 1996) | |
| | C30* | GenBank Accession Number NP_006600: "Mitogen-activated protein kinase kinase kinase 2. (Homo sapiens)," (Sept. 16, 1999) | |
| | C31* | GenBank Accession Number U23470: Mus musculus Map kinase kinase (MEKK1) mRNA," (Jan. 4, 1996) | |
| | C32* | GenBank Accession Number U48596: "Rattus norvegicus MAP kinase kinase kinase 1(MEKK1) mRNA," (June 5, 1996) | |
| | C33* | Gerwins, Pär, et al., "Cloning of a Novel Mitogen-activated Protein Kinase Kinase Kinase, MEKK4, That Selectively Regulates the c-Jun Amino Terminal Kinase Pathway," <i>The Journal of Biological Chemistry</i> , Vol. 272(13):8288-8295 (1997) | |
| ✓ | C34* | Hirano, M., et al., "MEK kinase is involved in tumor necrosis factor α -induced NF- κ B activation and degradation by I κ B- α ," <i>J. Biol. Chem.</i> , Vol. 271:13234-13238 (1996) | |

| | | | |
|--------------------|-------------------------------|-----------------|--|
| Examiner Signature | /Minh Tam Davis/ (05/14/2007) | Date Considered | |
|--------------------|-------------------------------|-----------------|--|

| | | | | | |
|---|---|----|---|--------------------------|-----------------------|
| Substitute for form 1449A/B/PTO | | | | Complete If Known | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Application Number | 10/728019-Conf. #8027 |
| | | | | Filing Date | December 3, 2003 |
| | | | | First Named Inventor | Gary L. JOHNSON |
| | | | | Art Unit | 1646 |
| | | | | Examiner Name | Not Yet Assigned |
| Sheet | 3 | of | 4 | Attorney Docket Number | CPI-042CN2 |

| | | | |
|------|------|--|--|
| /MD/ | C35* | Howard, A.D., et al., "IL-1-converting enzyme requires aspartic acid residues for processing of the IL-1 β precursor at two distinct sites and does not cleave 31-kDa IL-1 α ," <i>J. Immunol.</i> , Vol. 147:2964-2969 (1991) | |
| | C36* | Hu, M.C., et al., "Human HPK1, a novel human hematopoietic progenitor kinase that activated the JNK/SAPK kinase cascade," <i>Genes Dev.</i> , Vol. 10:2251-2264 (1996) | |
| | C37* | Johnson, N.L., et al., "Signal transduction pathways regulated by mitogen-activated/extracellular response kinase kinase induce cell death," <i>Journal of Biological Chemistry</i> , Vol. 271(6):3229-3237 (1996) | |
| | C38* | Juo, P., et al., "Fas activation of the p38 mitogen-activated protein kinase signalling pathway requires ICE/CED-3 family proteases," <i>Mol. Cell. Biol.</i> , Vol. 17:24-35 (1997) | |
| | C39* | Karin, M., et al., "JNK or IKK, AP-1 or NFkB, which are targets for MEK kinase 1 action?" <i>Proc. Natl. Sci., USA</i> , Vol. 95:9067-9069 (1998) | |
| | C40* | Khokhlatchev, A., et al., "Reconstitution of mitogen-activated protein kinase phosphorylation cascades in bacteria. Efficient synthesis of active protein kinases," <i>Journal of Biological Chemistry</i> , Vol. 272(17):11057-11062 (1997) | |
| | C41* | Kyriakis, J.M., et al., "Raf-1 activates MAP kinase-kinase," <i>Nature</i> , Vol. 358(6385):417-421 (1992) | |
| | C42* | Lange-Carter, CA, et al., Science 260: 315-319 and MPSRCH search report, 2003, us-09-858-754-3-copy-875-1493.rsp, pages 1-2 | |
| | C43* | Lange-Carter, C.A., et al., "A divergence in the MAP kinase regulatory network defined by MEK kinase and Raf," <i>Science</i> , Vol. 260:315-319 (1993) | |
| | C44* | Lange-Carter, C.A., et al., "Ras-dependent growth factor regulation of MEK kinase in PC12 cells," <i>Science</i> , Vol. 265:1458-1461 (1994) | |
| | C45* | Lassignal Johnson, N., et al., "Signal transduction pathways regulated by mitogen-activated/extracellular response kinase kinase kinase induce cell death," <i>J. Biol. Chem.</i> , Vol. 271:3229-3237 (1996) | |
| | C46* | Lazar, Eliane, et al., "Transforming Growth Factor α : Mutation of Aspartic Acid 47 and Leucine 48 Results in Different Biological Activities," <i>Molecular and Cellular Biology</i> , Vol. 8(3):1247-1252 (1988) | |
| | C47* | Liu, Z.-G., et al., "Three distinct signalling response by murine fibroblasts to genotoxic stress," <i>Nature</i> , Vol. 384:273-276 (1996) | |
| | C48* | Liu, Z.-G., et al., "Dissection of TNF receptor 1 effector functions: JNK activation is not linked to apoptosis while NF-kB activation prevents cell death," <i>Cell</i> , Vol. 87:565-576 (1996) | |
| | C49* | Los, M., et al., "Requirement of an ICE/CED-3 protease for Fas/APO-1-mediated apoptosis," <i>Nature</i> , Vol. 375:81-83 (1995) | |
| | C50* | Minden, Audrey, et al., "Differential Activation of ERK and JNK Mitogen-Activated protein Kinases by Raf-1 and MEKK," <i>Science</i> , Vol. 266:1719-1723 (1994) | |
| | C51* | MPSRCH Search Report, 2003, us-09-858-754-3-copy-875-1493.rag, pages 1-2 | |
| | C52* | MPSRCH search report, 2003, us-09-858-754-3-copy-875-1493.rag, pages 3-4 | |
| | C53* | Nicholson, D.W., et al., "Identification and inhibition of the ICE/CED-3 protease necessary for mammalian apoptosis," <i>Nature</i> , Vol. 376:37-43 (1995) | |
| | C54* | PIR Accession No. A46212: MEK Kinase - mouse | |
| | C55* | Russell, M., et al., "Direct interaction between Ras and the kinase domain of mitogen-activated protein kinase kinase (MEKK1)," <i>Journal of Biological Chemistry</i> , Vol. 270:11757-11760 (1995) | |
| | C56 | Schaefer, Brian C., et al., "Live Cell Fluorescence Imaging of T Cell MEKK2: Redistribution and Activation in Response to Antigen Stimulation of the T Cell Receptor," <i>Immunity</i> , Vol. 11:411-421 (1999) | |
| ✓ | C57* | Schlesinger, T.K., et al., "The Tao of MEKK," <i>Front. Biosci.</i> , Vol. 3:D1181-1186 (1998) | |
| | C58* | Seeger, R., et al., "The MAPK signaling cascade," <i>FASEB J.</i> , Vol. 9:726-735 (1995) | |

| | | | |
|--------------------|-------------------------------|-----------------|--|
| Examiner Signature | /Minh Tam Davis/ (05/14/2007) | Date Considered | |
|--------------------|-------------------------------|-----------------|--|

| | | | | | |
|---|---|--------------------------|-----------------------|------------------------|------------|
| Substitute for form 1449A/B/PTO | | Complete if Known | | | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | Application Number | 10/728019-Conf. #8027 | | |
| | | Filing Date | December 3, 2003 | | |
| | | First Named Inventor | Gary L. JOHNSON | | |
| | | Art Unit | 1646 | | |
| | | Examiner Name | Not Yet Assigned | | |
| Sheet | 4 | of | 4 | Attorney Docket Number | CPI-042CN2 |

| | | | |
|------|------|---|--|
| /MD/ | C59* | Su, B., et al., "JNK is involved in signal integration during costimulation of T lymphocytes," <i>Cell</i> , Vol. 77:727-736 (1994) | |
| | C60* | Sumimoto, S.-I., et al., "Involvement of LFA-1/intracellular adhesion molecule-1-dependent cell adhesion in CD40-mediated inhibition of human B lymphoma cell death induced by surface IgM crosslinking," <i>J. Immunol.</i> , Vol. 153:2488-2496 (1994) | |
| | C61* | SWISS-PROT Accession No. P53349; MAPK/ERK KINASE 1 (MEK KINASE 1) (MEKK 1) | |
| | C62* | SWISS-PROT Accession No. Q62925; MAPK/ERK KINASE 1 (MEK KINASE 1) (MEKK 1) | |
| | C63* | Tsubata, T., et al., "B-cell apoptosis induced by antigen receptor crosslinking is blocked by a T-cell signal through CD40," <i>Nature</i> , Vol. 364:645-648 (1993) | |
| | C64* | Winston, B.W., et al., "Tumor necrosis factor alpha rapidly activates the mitogen-activated protein kinase (MAPK) cascade in a MAPK kinase-dependent, c-Raf-1-independent fashion in mouse macrophages," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 92:1614-1618 (1995) | |
| | C65* | Xia, Y., et al., "JNKK1 organizes a MAP kinase module through specific and sequential interactions with upstream and downstream components mediated by its amino-terminal extension," <i>Genes Dev.</i> , Vol. 12(21):3369-3381 (1998) | |
| | C66* | Xu, S., et al., "MEKK1 binds directly to the c-Jun N-terminal kinases/stress-activated protein kinases," <i>Journal of Biological Chemistry</i> , Vol. 272(15):32056-32060 (1997) | |
| | C67* | Xu, S., et al., "MEKK1 phosphorylates MEK1 and MEK2 but does not cause activation of mitogen-activated protein kinase," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 92(15):6808-6812 (1995) | |
| | C68* | Yan, M., et al., "Activation of stress-activated protein kinase by MEKK1 phosphorylation of its activator SEK1," <i>Nature</i> , Vol. 372(6508):798-800 (1994) | |
| | C69* | Yujiri, T., et al., "Role of MEKK1 in cell survival and activation of JNK and ERK pathways defined by targeted gene disruption," <i>Science</i> , Vol. 282(5395):1911-1914 (1998) | |
| | C70* | Verhegi, M., et al., "Requirement for ceramide-initiated SAPK/JNK signalling in stress-induced apoptosis," <i>Nature</i> , Vol. 380:75-79 (1996) | |
| | C71* | Wang, Y., et al., "byr2, a <i>Schizosaccharomyces pombe</i> gene encoding a protein kinase capable of partial suppression of the <i>ras1</i> mutant phenotype," <i>Mol. Cell. Biol.</i> , Vol. 11(7):3554-3563 (1991) | |
| | C72* | Widmann, C., et al., "Caspase-dependent cleavage of signaling proteins during apoptosis. A turn-off mechanism for anti-apoptotic signals," <i>J. Biol. Chem.</i> , Vol. 273:7141-7147 (1998) | |
| | C73* | Widmann, C., et al., "MEK kinase 1, a substrate for DEVD-directed caspases, is involved in genotoxin-induced apoptosis," <i>Mol. Cell. Biol.</i> , Vol. 18:2416-2429 (1998) | |
| | C74* | Widmann, C., et al., "Potentiation of apoptosis by low dose stress stimuli in cells expressing activated MEK kinase 1," <i>Oncogene</i> , Vol. 15:2439-2447 (1997) | |
| | C75* | Xia, Z., et al., "Opposing effects of ERK and JNK-p38 MAP kinases on apoptosis," <i>Science</i> , Vol. 270:1326-1331 (1995) | |
| | C76* | Xu, S., et al., "Cloning of rat MEK kinase 1 cDNA reveals an endogenous membrane-associated 195-kDa protein with a large regulatory domain," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 93:5291-5295 (1996) | |
| ↓ | C77 | International Search Report Application No. PCT/US99/02974, dated July 22, 1999 | |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

| | | | |
|--------------------|-------------------------------|-----------------|--|
| Examiner Signature | /Minh Tam Davis/ (05/14/2007) | Date Considered | |
|--------------------|-------------------------------|-----------------|--|